

Against the division of labor in scope and binding

Chung-chieh Shan, Harvard University*

ccshan@post.harvard.edu

LSA meeting, 6 January 2005

Different quantifiers take scope differently.

- (1) Island(/locality/intervention) effects:
 - a. Alice read every paper that a professor recommended.
(*a professor* can take wide scope over *every paper that*)
 - b. Alice read every paper that every professor recommended.
(*every professor* cannot take wide scope over *every paper that*)
- (2) Availability of inverse scope:
 - a. 好像每個人都在找什麼人的樣子。
Haoxiang meige ren dou zai zhao shenme ren de-yangzi
seem every person all ASP seek what person seem
'It seems that everyone is looking for someone.' ($\forall > \exists, \exists > \forall$)
 - b. 好像每個人都在找一個人的樣子。
Haoxiang meige ren dou zai zhao yige ren de-yangzi
seem every person all ASP seek one person seem
'It seems that everyone is looking for someone.' ($\forall > \exists, * \exists > \forall$)

Why? Two prominent accounts hypothesize semantic scope-taking mechanisms in addition to a syntactic mechanism like Quantifier Raising (May 1977) or Quantifying In (Montague 1974).

- (3) Choice functions (Reinhart 1992, 1997; inter alia)
- (4) Alternative sets (Hamblin 1973; Kratzer and Shimoyama 2002; Rooth 1985; Shimoyama 2001; sometimes used to implement unselective binding)


I have been arguing against such dichotomies between syntactic and semantic scope-taking, in several ways.

- (5) Incorrect interaction between two scope-taking mechanisms (Section 1)
- (6) Missing generalizations that hold across all scope-taking, especially in binding (Section 2)
- (7) Greater variation among quantifiers and languages than would be expected from a binary distinction (Schwarz 2001; Shan 2003)


*Thanks to Stuart Shieber, Chris Barker, Chris Potts, the southern New England workshop on semantics, the MIT syntax-semantics reading group, and the reviewers of SALT 14 and NELS 35. This work is supported by the United States National Science Foundation Grant BCS-0236592.

1 Alternatives and variables do not mix

(8) Plain-vanilla function application:




(9) Alice saw Xavier.




To add alternatives, replace each type A with the type $\langle A, t \rangle$, in other words, the type of A -sets. Change the plain-vanilla function application rule (8) to:

(10) Alternative-friendly function application:




(11) Who saw Xavier? (Alice did.)




To add variables, replace each type A with the type $\langle g, A \rangle$, where g is the type of assignments. Change the plain-vanilla function application rule (8) to:


(12) Variable-friendly function application:



(13) Predicate abstraction (Heim and Kratzer 1998):



(14) Alice saw nobody.



1.1 The problem

To mix alternatives and variables, replace each type A with $\langle g, \langle A, t \rangle \rangle$. The function application rule is easy to update, but there is no predicate abstraction rule that produces the correct denotation.

(15) Alternative-friendly, variable-friendly function application (Kratzer and Shimoyama 2002):

$$\lambda g. \{ f(x) \mid f \in \llbracket \beta \rrbracket (g) \wedge x \in \llbracket \gamma \rrbracket (g) \} : \langle g, \langle B, t \rangle \rangle$$

$$\llbracket \beta \rrbracket : \langle g, \langle \langle A, B \rangle, t \rangle \rangle \quad \llbracket \gamma \rrbracket : \langle g, \langle A, t \rangle \rangle$$

(16) Alternative-friendly predicate abstraction?

$$\mathbf{???} : \langle g, \langle \langle e, A \rangle, t \rangle \rangle$$

$$\lambda_i \quad \llbracket \beta \rrbracket : \langle g, \langle A, t \rangle \rangle$$

- (22) “There is a question about the correctness of [(21)]. It does not quite deliver the expected set of functions. As far as we can see, however, no wrong predictions are actually made, as long as we only use the definition for generating propositional alternatives.”
- (23) Who saw nobody?
- *His_i mother saw nobody_i.
 - *Barbara didn’t see Xavier, Alice didn’t see Yves, and Carol didn’t see Zack.

(Another problem with the rule (21) occurs when one *wh*-phrase binds into another:

- (24) Which man_i sold which of his_i paintings?

If any individual has no painting, then Kratzer and Shimoyama predict that no answer is felicitous. However, if Munch is under discussion, then *Munch sold “The Scream”* is a perfectly felicitous answer. This problem is easy to fix: just change the rule to produce

- (25) $lg. \{ f_{(e,A)} \mid \forall x_e. (f(x) \in \llbracket \beta \rrbracket (g[x/i])) \vee (f(x) \text{ is undefined and } \llbracket \beta \rrbracket (g[x/i]) \text{ is empty}) \}$
instead.)

1.2 Two solutions

Do it all in the syntax: Beghelli and Stowell 1997; Karttunen 1977.

Do it all in the semantics: Do not try to “transpose” a function to sets into a set of functions! Generate a set of functions to start with. In general, generate a function to sets of functions to . . .

- (26) Which man_i told nobody_j about which of his_i paintings?

To analyze (26), binding by *i* must take place outside—yet binding by *j* must take place inside—the alternative layer. Thus we must handle each binding separately, as variable-free semantics does. Shan (2004) shows how to mix alternatives and binding properly, by extending Barker’s (2002) integration of Jacobson’s variable-free semantics (1999, 2000) and Hendriks’s Flexible Types for quantification (1988, 1993).

2 Choice functions do not cross over

- (27) Every book that some professor_i wrote impressed all of her_i students.

- (28) $\exists p. \text{professor}(p) \wedge \forall b. \text{wrote}(p, b) \Rightarrow \forall s. \text{student}(s, p) \Rightarrow \text{impressed}(b, s)$

- (29) $\exists f. \text{choice-function}(f) \wedge \forall b. \text{wrote}(f(\text{professor}), b) \Rightarrow \forall s. \text{student}(s, \mathbf{her}) \Rightarrow \text{impressed}(b, s)$

How does *some professor* bind *her*? Two possibilities:

- (30) *her* is a paycheck pronoun just like *some professor*: $\mathbf{her} = f(\text{professor})$

- (31) *her* is a paycheck pronoun bound by *every book*: $\mathbf{her} = \iota p'. \text{wrote}(p', b)$

Must rule out (30) yet allow (31), in order to account for weak crossover.

- (32) *Every book that she_i wrote impressed all of some professor’s_i students.

Even though both paycheck denotations are contextually salient, f is a choice-function variable whereas b is a λ -bound variable. Hence, stipulate that a paycheck pronoun must be bound by a λ -bound variable, not a choice-function variable (cf. Buring 2004; Reinhart 1983). This stipulation acknowledges that, in this respect, choice-function variables behave like traces rather than pronouns in this respect, so existential closure of choice-function variables behaves like movement.

3 Conclusions

Beware the division of labor between syntax and semantics for scope-taking!

- Two scope-taking mechanisms must interact smoothly. Alternatives and variables do not.
- Constraints on binding, like crossover, may need to be restipulated, as for choice functions.

References

- Barker, Chris. 2002. Remark on Jacobson 1999: Crossover as a local constraint. *Linguistics and Philosophy*. To appear.
- Beghelli, Filippo, and Tim Stowell. 1997. Distributivity and negation: The syntax of each and every. In *Ways of scope taking*, ed. Anna Szabolcsi, chap. 3, 71–107. Dordrecht: Kluwer.
- Buring, Daniel. 2004. Crossover situations. *Natural Language Semantics* 12(1):23–62.
- Hamblin, Charles Leonard. 1973. Questions in Montague English. *Foundations of Language* 10:41–53.
- Heim, Irene, and Angelika Kratzer. 1998. *Semantics in generative grammar*. Oxford: Blackwell.
- Hendriks, Herman. 1988. Type change in semantics: The scope of quantification and coordination. In *Categories, polymorphism and unification*, ed. Ewan Klein and Johan van Benthem, 96–119. Centre for Cognitive Science, University of Edinburgh.
- . 1993. Studied flexibility: Categories and types in syntax and semantics. Ph.D. thesis, University of Amsterdam.
- Jacobson, Pauline. 1999. Towards a variable-free semantics. *Linguistics and Philosophy* 22(2):117–184.
- . 2000. Paycheck pronouns, Bach-Peters sentences, and variable-free semantics. *Natural Language Semantics* 8(2):77–155.
- Karttunen, Lauri. 1977. Syntax and semantics of questions. *Linguistics and Philosophy* 1(1):3–44.
- Kratzer, Angelika, and Junko Shimoyama. 2002. Indeterminate pronouns: The view from Japanese. In *Proceedings of the 3rd Tokyo conference on psycholinguistics*, ed. Yukio Otsu, 1–25. Tokyo: Hituzi Syobo.
- May, Robert C. 1977. The grammar of quantification. Ph.D. thesis, Massachusetts Institute of Technology.
- Montague, Richard. 1974. The proper treatment of quantification in ordinary English. In *Formal philosophy: Selected papers of Richard Montague*, ed. Richmond Thomason, 247–270. New Haven: Yale University Press.
- Reinhart, Tanya. 1983. *Anaphora and semantic interpretation*. London: Croom Helm.
- . 1992. Wh-in-situ: An apparent paradox. In *Proceedings of the 8th Amsterdam Colloquium*, ed. Paul Dekker and Martin Stokhof, 483–492. University of Amsterdam.
- . 1997. Quantifier scope: How labor is divided between QR and choice functions. *Linguistics and Philosophy* 20(4):335–397.
- Rooth, Mats Edward. 1985. Association with focus. Ph.D. thesis, University of Massachusetts.
- Schwarz, Bernard. 2001. Two kinds of long-distance indefinites. In *Proceedings of the 13th Amsterdam Colloquium*, ed. Robert van Rooy and Martin Stokhof, 192–197. University of Amsterdam.
- Shan, Chung-chieh. 2003. Quantifier strengths predict scopal possibilities of Mandarin Chinese *wh*-indefinites. Draft manuscript, Harvard University; <http://www.eecs.harvard.edu/~ccshan/mandarin/>.
- . 2004. Binding alongside Hamblin alternatives calls for variable-free semantics. In *Proceedings from Semantics and Linguistic Theory XIV*, ed. Kazuha Watanabe and Robert B. Young. Ithaca: Cornell University Press.
- Shimoyama, Junko. 2001. *Wh*-constructions in Japanese. Ph.D. thesis, University of Massachusetts.