

lecture 6: from cybernetics to systems science

### History of the Ideas of Cybernetics and Systems Science v.1.0

1930s 1940s 1950s 1960s 1970s 1980s 1990s

**GENERAL SYSTEMS**  
Emergent properties of systems  
Self-Organizing Systems  
Holistic Thinking  
Systems properties stated in mathematical terms

**COMPUTABILITY**  
Theory of Computability  
Alan Turing  
The Turing Machine

**CYBERNETICS**  
Feedback Loops  
Patterns  
The Macy Conferences  
Majoroh Maruyama  
self-referencing deviation amplifying processors

**SYSTEMS PHILOSOPHY**  
Ervin Laszlo  
Hierarchy as universal principle  
Geoffrey Vickers  
C. West Churchman  
Inquiry Systems  
dialectical inquiry systems  
signifier inquiry systems

**Living systems**  
James Grier Miller  
James Grier Miller  
Publishes "Living Systems"  
1965  
Lofii Zadeh  
Fuzzy logic  
Messes Russell Ackoff

**Evolutionary systems**  
First Gordon Conference on Cybernetics  
1964  
Other Settings  
Autopoiesis  
Humberto Maturana  
Francisco Varela  
SECOND ORDER CYBERNETICS

**CHAOS**  
Simulation as the "third form of science"  
WORKSHOP ON ARTIFICIAL LIFE 1987  
Stuart Kauffman  
the origin of life in the autocatalytic set


**COMPLEXITY**  
EMERGENCE OF ORDER  
the urge of complex systems to organize themselves into patterns  
networks of many autonomous agents that never optimize to their  
COMPLEX ADAPTIVE SYSTEMS  
Agents adaptiv and futu  
Many levels of hierarchy  
highly dispersed control  
"equilibri meaninglo

**Emancipatory**  
Peter Senge  
Publishes "The Fifth Discipline"  
1990  
George P. Richardson  
Publishes "Feedback Thought"  
1987  
Ralph Abraham  
Publishes "Chaos Gaia Eros"  
1994  
Stuart Kauffman  
Publishes "The Origins Of Order"  
1995  
John H. Holland  
Publishes "Hidden Order"  
1995  
Stuart Kauffman  
Publishes "At Home In The Universe"  
1995  
maximum fitness at the edge of chaos  
Chris Langton

**Organized Complexity And Systems theory**


## Warren Weaver' classes of systems and problems

- **organized simplicity**
  - very small number of variables
    - Deterministic
  - classical mathematical tools
    - Calculus
- **disorganized complexity**
  - very large number of variables
    - Randomness, homogenous
  - statistical tools
- **organized complexity**
  - sizable number of variables which are interrelated into an organic whole
  - study of organization
    - whole more than sum of parts
    - Massive combinatorial searches need for new mathematical and computational tools



Weaver, W. [1948]. "Science and Complexity". *American Scientist*, 36(4): 536-44.

examples



↑  
Randomness



→  
Complexity


from computational to systems thinking

■ **organized complexity**

- study of organization
  - whole is more than sum of parts
  - Organizational properties (“systemhood”)
- Need for new mathematical and computational tools
  - Massive combinatorial searches
  - Problems that can only be tackled with computers
    - Computer as lab
- Interdisciplinary and collaborative science
  - Thrives in problem-driven environments
    - Los Alamos, Santa Fe, all new computing centers.

■ **thinghood and systemhood**

- developing general-purpose computing further
  - Computational thinking and cybernetics
    - Some (all?) mechanisms and organizational principles are implementation-independent
    - Hardware vs software
- Integration of empirical science with general systems
  - Interdisciplinarity coupled with computational modeling
- Understanding structure and *function*
  - Of multi-level wholes
    - Systems biology, Evolutionary thinking, Systems thinking
  - **Emergence** (or collective behavior)
    - How do elements combine to form new unities?
    - **Micro- to macro-level behavior**



key roots

- Mathematics
- Computer Technology and Computational Thinking
- Systems Thinking

- **Cybernetics**

- Looking at mind, life, society with control, computation, information, networks

- **Functional equivalence**

- General principles and modeling

- **Organized Complexity**

- Study of organization
- “Whole is more than some of parts”, nonlinearity, interaction, communication

- **Interdisciplinary outlook**

- Not just math and computing, modeling requires understanding of focus domain
- Bio-inspired mathematics and computing
- Computing/Mechanism-inspired biology and social science

Energy Storage System



Passive electrical equivalent



Kenneth Boulding



Ludwig von Bertalanffy



Ralph Gerard



Anatol Rapoport

1965: Society for the Advancement of General Systems Theory

a science of organization across disciplines


## ■ Systemhood properties of nature

### ● Robert Rosen

- Systems depends on a specific adjective: **thinghood**
- **Systemhood**: properties of arrangements of items, independent of the items
  - Similar to “setness” or cardinality

### ● George Klir


- **Organization** can be studied with the mathematics of **relations**
- $S = (T, R)$ 
  - $S$ : a System,  $T$ : a set of things(thinghood),  $R$ : a (or set of) relation(s) (Systemhood)
  - Same relation can be applied to different sets of objects
  - Systems science deals with **organizational properties** of systems independently of the items
- **Examples**
  - Collections of books or music files are sets of things
  - But organization of such sets are systems (alphabetically, chronologically, typologically, etc.)



# what is a system?

more formally: representation of multivariate of associations/interactions

- $S = (T, R)$ 
  - a (multivariate) system
- $T = \{A_1, A_2, \dots, A_n\}$ 
  - A set (of sets) of things
    - thinghood
- Cartesian Product
  - Set of all possible associations of elements from each set
    - All  $n$ -tuples
  - $\{A_1 \times A_2 \times \dots \times A_n\}$
- $R$ : a relation (systemhood)
  - Subset of cartesian product on  $T$ .
    - Many relations  $R$  can be defined on the same  $T$



$$R \subseteq A^2 (= A \times A),$$

$$R \subseteq A^2 (= A \times A \times A),$$


$$R \subseteq A^n (= A \times A \times \dots \times A).$$

$n$ -times

$$R \subseteq (A \times A) \times A,$$

$$R \subseteq A \times (A \times A),$$

$$R \subseteq (A \times A) \times (A \times A).$$




George Klir

# what is a system?

more formally: representation of multivariate of associations/interactions

- $S = (T, R)$ 
  - a (multivariate) system
- $T = \{A_1, A_2, \dots, A_n\}$ 
  - A set (of sets) of things
    - thinghood
- Cartesian Product
  - Set of all possible associations of elements from each set
    - All  $n$ -tuples
  - $\{A_1 \times A_2 \times \dots \times A_n\}$
- $R$ : a relation (systemhood)
  - Subset of cartesian product on  $T$ .
    - Many relations  $R$  can be defined on the same  $T$



$R \subseteq A^2 (= A \times A),$	$R \subseteq A \times B,$
$R \subseteq A^2 (= A \times A \times A),$	$R \subseteq (A \times A) \times B,$
.....	
$R \subseteq A^n (= \underbrace{A \times A \times \dots \times A}_{n\text{-times}}).$	$R \subseteq (A \times B) \times (A \times B),$
$R \subseteq (A \times A) \times A,$	$R \subseteq (A \times A \times A) \times B,$
$R \subseteq A \times (A \times A),$	$R \subseteq (A \times A \times A) \times (B \times B),$
$R \subseteq (A \times A) \times (A \times A).$	$R \subseteq (A \times B) \times (A \times B) \times (A \times B).$



George Klir




equivalence classes or multilayer network?

Table 2.1. Set of Students with Four Characteristics

Student	Grade	Major	Age	Full-time/ part-time
Alan	B	Biology	19	Full-time
Bob	C	Physics	19	Full-time
Cliff	C	Mathematics	20	Part-time
Debby	A	Mathematics	19	Full-time
George	A	Mathematics	19	Full-time
Jane	A	Business	21	Part-time
Lisa	B	Chemistry	21	Part-time
Mary	C	Biology	19	Full-time
Nancy	B	Biology	19	Full-time
Paul	B	Business	21	Part-time


Table 2.2. Equivalence Relation  $R_g$  D  
Table 2.1 with Res

$R_g$	A	B	C	D	G
A	1	0	0	0	0
B	0	1	1	0	0
C	0	1	1	0	0
D	0	0	0	1	1
G	0	0	0	1	1
J	0	0	0	1	1
L	1	0	0	0	0
M	0	1	1	0	0
N	1	0	0	0	0
P	1	0	0	0	0



$$R \subseteq A \times B \times C \times D$$

**Note:** same thinghood (set of students), but distinct systemhood or organization projected to a specific set (layer) as equivalence classes.



## (complex) systems science

study of “systemhood” separated from “thinghood”

- **Study of “systemhood” properties**
  - Classes of isomorphic abstracted systems
  - Search of **general principles of organization**
    - Weaver’s organized complexity (1948)
- **Systemhood properties**
  - preserved under suitable transformation from the set of things of one system into the set of things from the other system
    - Divides the space of possible systems (relations) into equivalent classes
- **Devoid of any interpretation!**
  - General systems
    - Canonical examples of equivalence classes





Figure 2.6. Two ways of classifying systems and the role of general systems.

From Klir [2001]







George Klir

example of general principle of organization

**Barabasi-Albert Model:** leads to power-law node degree distributions in networks

**Amaral et al:** Most real networks have a cut-off distribution for high degree nodes which can be computationally modeled with vertex aging.

$$R \subseteq A^2 (= A \times A),$$








example of general principle of organization


**Barabasi-Albert Model:** leads to power-law node degree distributions in networks

**Amaral et al:** Most real networks have a cut-off distribution for high degree nodes which can be computationally modeled with vertex aging.

$$R \subseteq A^2 (= A \times A),$$



From genetic interaction maps (in yeast)




Jaimovich, A et al. 2010. Modularity and directionality in genetic interaction maps.

*Bioinformatics* **26**, no. 12 (June): i228-i236.

lead to different conclusions about underlying multivariate system


A Protein-protein interaction network

- $C_1 = \{A, B, C, D\}$
- $C_2 = \{A, E\}$
- $C_3 = \{C, E\}$



Graph  $R \subseteq A^2 (= A \times A)$ ,

**Max k-core:**  
 $\{A, B, C, D\}, k = 3$




$$R \subseteq A^n (= \underbrace{A \times A \times \dots \times A}_{n\text{-times}})$$


Hypergraph

**Max k-core:**  
 $\{A, C, E\}, k = 2$

D Logical networks



Interaction graph






$$D = (A \wedge B) \vee \neg C$$

Hypergraph representation of boolean relationships

**Separates (linearizes) contributions**

lead to different conclusions about underlying multivariate system




### C Reaction networks



$$\begin{matrix} & R_1 & R_2 & R_3 \\ A & -1 & -1 & 0 \\ B & 1 & -1 & 0 \\ C & 0 & 1 & 0 \\ D & 0 & 1 & -1 \\ E & 0 & 0 & 1 \end{matrix} \text{Stoichiometric matrix}$$

$$R \subseteq A^n (= A \times A \times \dots \times A).$$

$n$ -times



$$R \subseteq A^2 (= A \times A),$$

**Separates (linearizes) contributions**

Klamt S, Haus U-U, Theis F. [2010]. "Hypergraphs and cellular networks." *PLoS computational biology* 5(5): e1000385.

# general-purpose study of “systems” properties of nature, technology, and society

## complex networks & systems thinking

### ■ Traditional disciplines


- defined by specific discernable levels of human experience in nature and society
  - Psychology, Sociology, Political Science, Economics, Physics, Chemistry, Biology, etc

### ■ CNS, systems/computational thinking

- General-purpose tools and universal laws
  - Search for **general principles of organization**
  - Produce machines and tools for all sciences
- Disciplines are orthogonal to traditional disciplines
  - machine learning, network science, data science & analytics, dynamical systems theory, operations research, etc.

### ■ 2-dimensional science

- traditional disciplines focus on experimental and observational methods for specific subject matter
- disciplines of CNS focus on generality of their own methods to any type of data
- Neither parallel disciplines nor general-purpose methods are sufficient to achieve *interdisciplinarity*
  - Team culture is necessary
  - E.g. Systems biology, computational biology, computational social science, etc.



Pescosolido, B.A. 2006. Journal of Health and Social Behavior 47: 189-208.



CNS NRT



rocha@binghamton.edu  
casci.binghamton.edu/academics/ssie501m



# general-purpose study of “systems” properties of nature, technology, and society

## complex networks & systems thinking

### ■ Traditional disciplines


- defined by specific discernable levels of human experience in nature and society
  - Psychology, Sociology, Political Science, Economics, Physics, Chemistry, Biology, etc

### ■ CNS, systems/computational thinking


- General-purpose tools and universal laws
  - Search for **general principles of organization**
  - Produce machines and tools for all sciences
- Disciplines are orthogonal to traditional disciplines
  - machine learning, network science, data science & analytics, dynamical systems theory, operations research, etc.

### ■ 2-dimensional science

- traditional disciplines focus on experimental and observational methods for specific subject matter
- disciplines of CNS focus on generality of their own methods to any type of data
- Neither parallel disciplines nor general-purpose methods are sufficient to achieve **interdisciplinarity**
  - Team culture is necessary
  - E.g. Systems biology, computational biology, computational social science, etc.



Pescosolido, B.A. 2006. Journal of Health and Social Behavior



CNS NRT



rocha@binghamton.edu  
casci.binghamton.edu/academics/ssie501m

## Models of organized complexity

### ■ Systemhood properties

- Search for a language of *generalized circuits*
- Isomorphisms of concepts, laws and models across fields
- Minimize duplication of efforts across fields
- Unity of science

### ■ Not mathematics

#### ● Kenneth Boulding

- “in a sense, because mathematics contains all theories it contains none; it is the language of theory, but it does not give us the content”
- “body of systematic theoretical construction which will discuss general relationships of the empirical World”.
- “somewhere between the specific that has no meaning and the general that has no content there must be, for each purpose and at each level of abstraction, an optimum degree of generality”.


- Empirical and problem-driven

### ■ Other relevant areas

- Mathematical theories of control and generalized circuits
- Information theory
- Optimal scheduling and resource allocation (operations research, ISE)
- dynamical systems, chaos, AI, Alife, machine learning, network science, etc.



Ludwig  
von Bertalanffy



Kenneth  
Boulding

the theoretical biology component

- **Systemhood properties of life**
  - Search for a language of *generalized circuits*
  - Isomorphy of concepts, laws and models
  - Minimize duplication of efforts across fields
  - Unity of science
- **Self-maintaining organization**
  - **Dynamics** of regulation and development
    - **Networks** of simple interacting components
  - Dynamics of self-maintenance
    - Autopoiesis, auto-catalytic behavior, autonomy
- **Evolutionary systems**
  - Encoded production
  - Open-ended evolution
  - “leaky” systems



Stuart Kauffman



Ludwig  
von Bertalanffy



Howard Pattee



Francisco Varela

the theoretical biology component

- **Systemhood properties of life**
  - Search for a language of *generalized circuits*



- “leaky” systems



Stuart Kauffman



Ludwig  
von Bertalanffy




Howard Pattee



Francisco Varela



The language lives on

- Learning and cognition as information transmission
  - [Google Books Ngram Viewer](#) [sm](#)
- Conceptual model for understanding life and cognition
- Feedback has come to mean information about the outcome of any process or activity
  - No word existed previously in English to convey that concept
- Interaction and organization everywhere
  - Attention shifted from individualism and cause & effect, to circular causation and social interaction
- “Programmed” behavior
- Society and organisms as (general) systems
- Wiener’s prediction of a second industrial revolution centered on communication, control, computation, information, and organization was correct
  - Abundance of technology and mass production of communication devices
    - Grew out of the ideas first reported by the cyberneticians
  - Many disciplines are an offspring of cybernetics



The language lives on

Learning and cognition as information transmission



life and

ome of any

pt

ircular causation


THE CYBERNETICS MOMENT  
OR WHY WE CALL OUR AGE THE INFORMATION AGE  
RONALD R. KLINE

The Human Use of Human Beings  
By Norbert Wiener

Diagram nodes: S<sup>2</sup>s, SD, MSS, F, SMS, MD, M<sup>2</sup>D, SS, D, MS, S

systemhood of health

- A system possesses **systemhood** and **thinghood** properties
  - *Thinghood* refers to the specific material that makes up the system
  - *Systemhood* are the abstracted properties
    - E.g. a clock can be made of different things, but there are implementation-independent properties of “clockness”
  - Systems science deals with the implementation-independent aspects of systems
    - Allows the conceptualization of unobserved organizations across domains, cultures,...
- Reductionism in Biology (analysis)
  - search and characterization of the *function* of building blocks (genes and molecules)
- Post-genome informatics or systems Biology
  - Synthesis of biological knowledge from genomic **information**
    - The genome contains information about building blocks but it is naive to assume that it also contains the information on how the building blocks relate, develop, and evolve.
- Biomedical complexity pursued as systems modeling
  - Towards an interdisciplinary understanding of **principles** of life and health via the search and characterization of networks of building blocks (genes and molecules)
    - Systems biology embraces the view that most interesting human organism traits such as immunity, development and even diseases such as cancer arise from the *operation of complex biological systems or networks*.
    - Multilevel regulation and signaling networks in health and disease
      - E.g. social determinants of health, epidemiology
    - Systems concepts
      - control, modularity, networks, information and hierarchies



Pescosolido, B.A. 2006. Journal of Health and Social Behavior 47: 189-208.